

ALASKA FEDERAL OFFSHORE
Descriptions of Geologic Plays
1995 National Resource Assessment
U.S. Minerals Management Service

COOK INLET ASSESSMENT PROVINCE
(C. Drew Comer, Pete Sloan, Susan M. Banet)

Federal waters of Cook Inlet basin include three plays: (1) the Tertiary stratigraphic play, (2) the Mesozoic stratigraphic play, and (3) the Mesozoic structural play.

Play 1 (UACI0101¹). Tertiary Stratigraphic Play : This play is restricted to the northernmost part of the assessment area north of the Augustine-Seldovia arch. It occurs in the southernmost extension of the Tertiary depocenter and involves stratigraphic traps. Potential source rocks are Upper Triassic carbonates and Middle Jurassic marine siltstones. Nonmarine sandstones and conglomerates of Eocene and Oligocene age are the reservoir targets. Those rocks include braided stream deposits of alluvial fans shed from the margins of the basin, and fluvial deposits that developed in the axis of the basin. Reservoir-rock properties are assumed to be analogous to those of the upper Cook Inlet oil fields as reported by the Alaska Oil and Gas Conservation Commission (AOGCC, 1995).

Play 2 (UACI0201). Mesozoic Stratigraphic Play : This play is probably best developed in the central and southern parts of lower Cook Inlet and Shelikof Strait. This play involves stratigraphic traps in turbidite sandstones within marine siltstone sections. The turbidites may have developed in submarine fan complexes in the Upper Cretaceous Kaguyak Formation. Potential source rocks are Upper Triassic carbonates or Middle Jurassic marine siltstones. According to Magoon and Anders (1992), oil in the lower Cook Inlet-Alaska Peninsula area migrated from both Upper Triassic and Middle Jurassic sources during Late Cretaceous to early Tertiary time.

Play 3 (UACI0301). Mesozoic Structural Play : This play covers most of the assessment area and involves anticlines and fault traps. Many of the mapped anticlines were tested unsuccessfully in previous exploratory drilling. Oil shows were present in Upper Cretaceous strata in the Arco Y-0097 well and the Marathon Y-0086 well. Potential source rocks are Upper Triassic carbonates or Middle Jurassic marine siltstones. The best reservoir rocks are probably nonmarine sandstones in fan-delta deposits in the Upper Cretaceous Kaguyak Formation. Marine sandstones

¹The "UA" Code is the "Unique Assessment Identifier" for each play, and is the principal guide to GRASP data files.

in both Lower and Upper Cretaceous strata are also potential reservoirs.

OIL AND GAS ENDOWMENTS OF COOK INLET PLAYS
Risked, Undiscovered, Conventionally Recoverable Oil and Gas

PLAY NO.	PLAY NAME (UAI * CODE)	OIL (BBO)			GAS (TCFG)		
		F95	MEAN	F05	F95	MEAN	F05
1.	Tertiary Stratigraphic (UACI0101)	0.000	0.276	0.723	0.000	0.291	0.776
2.	Mesozoic Stratigraphic (UACI0201)	0.000	0.195	0.515	0.000	0.242	0.642
3.	Mesozoic Structural (UACI0301)	0.088	0.266	0.508	0.116	0.360	0.727
	FASPAG AGGREGATION	0.323	0.738	1.386	0.402	0.893	1.649


* *Unique Assessment Identifier, code unique to play.*

REFERENCES CITED


AOGCC (Alaska Oil and Gas Conservation Commission), 1995, 1994 Statistical Report: Alaska Oil and Gas Conservation Commission, 228 p. (available from 3001, Porcupine Drive, Anchorage, AK 99501-3192).

Magoon, L.B., and Anders, D.E., 1992, Oil-to-source-rock correlation using carbon-isotopic data and biological marker compounds, Cook Inlet-Alaska Peninsula, Alaska, *in* Moldowan, J.M., Albrecht, P. and Philp, R.P., eds., Biological markers in sediments and petroleum: Englewood Cliffs, Prentice-Hall, p. 241-274.

COOK INLET - MAP OF MESOZOIC STRUCTURAL PLAY



COOK INLET - MAP OF TERTIARY AND MESOZOIC STRATIGRAPHIC PLAYS



EXPLANATION OF DATA TABLES FOR COOK INLET ASSESSMENT PROVINCE

RESULTS

LOG-N PARAMS (PORE)	Key mathematic parameters that describe log-normal probability distributions for volume of hydrocarbon-bearing rock, in acre-feet, for each play as reported in the PORE module of GRASP .
mu	Natural logarithm of F50 value of log-normal distribution for volume of hydrocarbon-bearing rock, or “ μ ”, for the subject play. mu = ln F50. [Note: distribution mean = $e^{(\mu + 0.5[\text{sig. sq.}])}$.]
sig. sq.	The variance of the log-normal distribution for volume of hydrocarbon-bearing rock, or “ σ^2 ”, for the subject play. sig. sq. = $\{\ln [0.5((F50/F16)+(F84/F50))]\}^2$.
N (MPRO)	Number of hydrocarbon pools calculated for the plays by the MPRO module of GRASP from inputs for probability distributions of prospect numbers and geologic chances of success (approximately the product of play and prospect chances of success) . The maximum (Max) number of pools for each play was entered into the MONTE1 module of GRASP to fix the number of pools aggregated to calculate play resources.
Reserves	Sums of recoverable oil and gas volumes for pools within the play, including both proven and inferred reserve categories. A “prop” entry indicates that the reserve data are proprietary.
BCF	Billions of cubic feet of gas, recoverable, at standard (surface) conditions (here fixed at a temperature of 60° Fahrenheit or 520° Rankine, and 14.73 psi atmospheric pressure).
MMB	Millions of barrels of oil, recoverable, at standard (surface) conditions.
Undiscovered Potential	Risked, undiscovered, conventionally recoverable oil and gas resources of the play, here reported at Means of probability distributions.

EXPLANATION OF DATA TABLES FOR COOK INLET ASSESSMENT PROVINCE

Mean Pool Sizes of Ranks 1 to 3 Unrisked (or conditional) mean volumes of recoverable oil and gas in the three largest pools in the play.

PLAY INPUT DATA

F100.....F00 Fractiles for values within probability distributions entered to **GRASP** for calculations of play resources. Four-point distributions (F100, F50, F02, F00) generally indicate that calculations were conducted using log-normal mathematics. Eight-point distributions generally indicate that calculations were conducted using Monte Carlo mathematics. Choice of mathematic approach was in most cases the option of the assessor.

Prospect Area Maximum area of prospect closure, or area within spill contour, in acres. Probability distributions for prospect areas were generally based on distributions assembled independently for each play from large numbers of prospects mapped with seismic reflection data.

Trap Fill Trap fill fraction, or fraction of prospect area in which the reservoir is predicted to be saturated by hydrocarbons.

Pool Area Areal extent of hydrocarbon-saturated part of prospect, in acres. Calculated using **PRASS**, or **SAMPLER** module of **GRASP**, to integrate input probability distributions for prospect areas and trap fill fractions.

Pay Thickness Thickness of hydrocarbon-productive part of reservoir within pool areas, in feet. Probability distributions for prospect areas, trap fill fractions, and pay thicknesses are integrated in the **PORE** module of **GRASP**, to calculate a probability distribution for volume of hydrocarbon-bearing rock, in feet, within the play as reported above under **LOG-N PARAMS (PORE)**.

EXPLANATION OF DATA TABLES FOR COOK INLET ASSESSMENT PROVINCE

Oil Yield (Recov. B/Acre-Foot)	Oil, in barrels at standard (surface) conditions, recoverable from a volume of one acre-foot of oil-saturated reservoir in the subsurface. Oil yield probability distributions were generally calculated in a separate exercise using PRASS to integrate input probability distributions for porosities, oil saturations, oil shrinkage factors (or “Formation Volume Factors”), and oil recovery efficiencies.
Gas Yield (MMCF/Ac.-Ft.)	Gas, in millions of cubic feet at standard (surface) conditions, recoverable from a volume of one acre-foot of gas-saturated reservoir in the subsurface. Distributions were generally calculated in a separate exercise using PRASS to integrate input probability distributions for porosities, gas saturations, reservoir pressures, reservoir temperatures (in degrees Rankine), gas deviation (“Z”) factors, combustible fractions (that exclude noncombustibles such as carbon dioxide, nitrogen, etc.), and gas recovery efficiencies.
Solution Gas-Oil Ratio (CF/B)	Quantity of gas dissolved in oil in the reservoir that separates from the oil when brought to standard (surface) conditions, in cubic feet recovered per barrel of produced oil.
Gas Cond. (B/MMCF)	Quantity of liquids or condensate dissolved in gas in the reservoir that separates from the gas when brought to standard (surface) conditions, in barrels recovered per million cubic feet of produced gas.
Number of Prospects.....	Probability distributions for numbers of prospects in plays, generally ranging from minimum values (F99) representing the numbers of mapped prospects, to maximum values (F00) that include speculative estimates for the numbers of additional prospects that remain unidentified (generally stratigraphic prospects, geophysically indefinite prospects, or prospects expected in areas with no seismic coverage).

EXPLANATION OF DATA TABLES FOR COOK INLET ASSESSMENT PROVINCE

Probabilities for Oil, Gas, or Mixed Pools

Oil (OPROB) Fraction of hydrocarbon pools that consist entirely of oil, with no free gas present. Typically, an undersaturated oil pool.

Gas (GPROB) Fraction of hydrocarbon pools consisting entirely of gas, with no free oil present.

Mixed (MXPROB) Fraction of hydrocarbon pools that contain both oil and gas as free phases, the gas usually present as a gas cap overlying the oil.

Fraction of Net Pay to Oil (OFRAC) When a hydrocarbon pool is modeled as a mixed case, with both oil and gas present, the fraction of pool volume that is saturated by oil in the subsurface.

Play Chance Success Probability that the play contains at least one pool of technically-recoverable hydrocarbons (that would flow into a conventional wellbore in a flow test or during production).

Prospect Chance Success The fraction of prospects within the play that are predicted to contain hydrocarbon pools, given the condition that at least one pool of technically-recoverable hydrocarbons occurs within the play.

Play Type (E-F-C)

Play classification scheme.

E **Established** play, in which significant numbers of fields have been discovered, providing the assessor with data for pool size distributions and reservoirs sufficient to allow the assessor to model the play with confidence.

F **Frontier** play, where exploration activities are at an early stage. Some wells have already been drilled to test the play concept but no commercial fields have been established.

EXPLANATION OF DATA TABLES FOR COOK INLET ASSESSMENT PROVINCE

C **Conceptual** play, hypothesized by analysts based on the subsurface geologic knowledge of the area. Such plays remain hypothetical and the play concept has not been tested.

COOK INLET

				Log-N Params.							
				PORE		N (MPRO)		Reserves		Undiscovered Potential	
Play				Ac/Ft	Ac/Ft	No. Pools		Gas	Oil	Gas	Oil
No.	Area	UAI Code	Name	mu	sig. sq.	Mean	Max	(BCF)	(MMB)	(BCF)	(MMB)
1	Cook Inlet	UACI0101	TERTIARY STRATIGRAPHIC	12.203	0.8270	3.26	22	0	0	294	276
2	Cook Inlet	UACI0201	MESOZOIC STRATIGRAPHIC	12.165	0.9407	3.35	24	0	0	240	195
3	Cook Inlet	UACI0301	MESOZOIC STRUCTURAL	12.113	1.0394	5.31	21	0	0	364	266

		MEAN POOL SIZES OF RANKS 1 TO 3											
		Pool #1		Pool #2		Pool #3		INPUT DATA					
PLAY		Gas	Oil	Gas	Oil	Gas	Oil	Prospect Area (Acres)					
No.	Name	(BCF)	(MMB)	(BCF)	(MMB)	(BCF)	(MMB)	F100	F95	F75	F50	F25	F05
1	TERTIARY STRATIGRAPHIC	184.5	173.63	97.79	92.051	69.269	65.629	400	1727		4700		12788
2	MESOZOIC STRATIGRAPHIC	154	124.55	79.916	64.709	56.782	46.221	313	1385		4500		14623
3	MESOZOIC STRUCTURAL	163.28	122.81	78.974	59.46	51.402	38.927	134	1069		5549		22647

		INPUT DATA											
PLAY		Prospect Area (Acres)			Trap Fill (Dec. Frac.)								
No.	Name	F02	F01	F00	F100	F95	F75	F50	F25	F05	F02	F01	F00
1	TERTIARY STRATIGRAPHIC			20000	0.2	0.24		0.4		0.75			1.00
2	MESOZOIC STRATIGRAPHIC			24000	0.2	0.24		0.4		0.75			1.00
3	MESOZOIC STRUCTURAL			32007	0.2	0.24		0.4		0.75			1.00

		INPUT DATA													
PLAY		Pool Area (Acres)								Pay Thickness (Feet)					
No.	Name	F100	F95	F75	F50	F25	F05	F02	F01	F00	F100	F95	F75	F50	F25
1	TERTIARY STRATIGRAPHIC	105	542		1994		7342			37984	19	48		100	
2	MESOZOIC STRATIGRAPHIC	81	474		1920		7785			45485	18	47		100	
3	MESOZOIC STRUCTURAL	85	552		2430		10692			69255	13	34		75	

COOK INLET

INPUT DATA																	
PLAY		Pay Thickness (Feet)				Oil Yield (Recov. B/Acre-Foot)							Gas Yield (MMCF/Ac.-Ft)				
No.	Name	F05	F02	F01	F00	F100	F95	F75	F50	F25	F05	F01	F00	F100	F95	F75	F50
1	TERTIARY STRATIGRAPHIC	208			526	154	235		328		459		700	0.236	0.389		0.576
2	MESOZOIC STRATIGRAPHIC	215			564	131	176		222		281		377	0.287	0.416		0.559
3	MESOZOIC STRUCTURAL	165			443	106	147		191		247		343	0.287	0.416		0.559

INPUT DATA																	
PLAY		Gas Yield (MMCF/Ac.-Ft)				Solution Gas Oil Ratio (CF/B)							Gas Cond. (B/MMCF)				
No.	Name	F25	F05	F01	F00	F100	F95	F75	F50	F25	F05	F01	F00	F100	F95	F75	F50
1	TERTIARY STRATIGRAPHIC		0.855		1.405	450	520	550	675	698	730		800	20	35	42	52
2	MESOZOIC STRATIGRAPHIC		0.750		1.088	450	520	550	675	698	730		800	20	35	42	52
3	MESOZOIC STRUCTURAL		0.751		1.090	450	520	550	675	698	730		800	20	35	42	52

INPUT DATA													
PLAY		Gas Cond. (B/MMCF)				Number of Prospects in Play							
No.	Name	F25	F05	F01	F00	F99	F95	F75	F50	F25	F05	F01	F00
1	TERTIARY STRATIGRAPHIC	55	68		100	5	6		15				40
2	MESOZOIC STRATIGRAPHIC	55	68		100	5	6		15				50
3	MESOZOIC STRUCTURAL	55	68		100	18	19		25				50

INPUT DATA								
PLAY		Probabilities for Oil, Gas, or Mixed Pools			Fraction of Net	Play	Prospect	
No.	Name	Oil (OPROB)	Gas (GPROB)	Mixed (MXPROB)	Pay to Oil (OFRAC)	Chance Success	Chance Success	Play Type E - F - C
1	TERTIARY STRATIGRAPHIC	0	0	100	0.7	0.75	0.25	C
2	MESOZOIC STRATIGRAPHIC	0	0	100	0.7	0.75	0.23	C
3	MESOZOIC STRUCTURAL	0	0	100	0.7	1	0.18	F

EXPLANATION OF COOK INLET PLAY SUMMARIES

This section consists of page-size compilations of graphics that summarize the results of *GRASP* modeling of the undiscovered, conventionally recoverable oil and gas endowments of each of the plays identified and assessed in the province. Each play summary features a plot for risked cumulative probability distributions for oil, gas, and BOE (gas in oil-equivalent barrels added to oil), a table of results, and a plot showing ranked sizes (oil and gas shown separately) of individual hypothetical pools. These three components of the play summaries are each described below.

Risked Cumulative Probability Distributions for Plays

Each play summary provides, at page top, cumulative probability distributions for risked, undiscovered endowments of conventionally recoverable oil, gas, and BOE. Oil and BOE quantities are shown in billions of barrels (B bbl). Gas quantities are reported in trillions of cubic feet (Tcf). Resource quantities are plotted against “Cumulative frequency greater than %.” A cumulative frequency value represents the probability that the play resource endowment will exceed the quantity associated with the frequency value along one of the curves (fig. 0.1). Cumulative frequency values along the curves decrease as resource quantities increase. Accordingly, the cumulative frequencies, or “probabilities for exceedance,” of small resource quantities are high, and conversely, the probabilities for exceedance of large resource quantities are low.

The cumulative probability distributions are risked and curves are truncated approximately at the output play chance. In most plays, the output play chance is equal to the input play chance for success. However, in plays with very small numbers of pools, the output play chance may be significantly **lower** than the input play chance for success.

The output play chance is derived from MPRO, a module within *GRASP* which uses inputs for geologic chance of success to convert probability distributions for numbers of *prospects* to probability distributions for numbers of *pools*. The output play chance is obtained as a mathematic extrapolation to the probability at which the numbers of pools meets or exceeds zero. In plays with 5 or more pools at the mean, this probability usually equals the input play chance for success. In plays with less than 5 pools at

the mean, the zero-pool probability (or output play chance) may be much less than the input play chance. Deviation between the output play chance and the input play chance is greatest in those plays with mean numbers of pools less than unity. Such highly risky plays contribute very little resources to overall province endowments.

Identification numbers beginning with “UA” in the graphics labels are codes unique to each of the plays in the *GRASP* data bases.

Table for Risked Play Resource Endowments

Each play summary provides, at page center, a table for risked, undiscovered play endowments of oil, gas, and BOE in billions of barrels of oil (BBO) or trillions of cubic feet of gas (TCFG). Quantities are reported at the **mean, F95** (a low estimate having a 95-percent frequency of exceedance), and **F05** (a high estimate having a 5-percent frequency of exceedance). Tabulated resource quantities are risked and therefore correspond to points on the cumulative probability distributions shown at page top. For plays with chances for success (play level) less than 0.95, the risked resource quantities reported at **F95** are zero.

Ranked Pool Size Distributions for Plays

Each play summary provides, at page bottom, a plot showing pool sizes ranked according to size in BOE. The numbers of pools shown in the rank plots correspond to the maximum numbers of pools estimated to occur within the plays. Each pool in a pool rank plot is represented by a pair of adjoining vertical bars. The left bar of each pair represents the range (from **F75** to **F25** in the output probability distribution) of gas recoverable from the pool, and may include non-associated gas from an all-gas pool or associated gas from a gas cap and/or solution gas from oil, depending on pool type. The right bar of each pair represents the range (from **F75** to **F25**) of petroleum liquids recoverable from the same pool, and may include free oil, condensate from a gas cap, or condensate from a gas-only pool.

Volumes are shown in millions of barrels (MMbbl) of oil and billions of cubic feet (Bcf) of gas.




Figure 0.1: Sample play summary, Chukchi shelf play 5.

Extreme sizes outside the range between F75 and F25 volumes are not shown, but all pools offer (at low probabilities) high-side potential that may be several multiples of their median sizes (F50 or centers of vertical bars). For example, the largest pool in the pool rank plot in figure 0.1 shows F75-F25 ranges in oil volumes from 58 to 220 millions of barrels and gas volumes from 350 to 1,180 billions of cubic feet. But, these ranges do not capture the largest possible sizes of

The upper graph and the table report the volumes of risked, undiscovered, conventionally recoverable resources for the play. The graph, called a **cumulative probability distribution**, shows three curves (oil, BOE, and gas) and reports the output play chance at upper right. The output play chance for Chukchi shelf play 5 is 1.0, meaning that there is a 100-percent chance that at least one hydrocarbon pool exists somewhere within the play. To illustrate how to read the graphs, dots have been placed on the **oil** curve at cumulative frequency values (vertical axis) of 95-percent and 5-percent. The corresponding oil quantities are 0.257 and 1.098 billions of barrels of oil. Thus, for Chukchi shelf play 5, there is a 95-percent chance that at least 0.257 billion barrels of oil are present and a 5-percent chance that more than 1.098 billion barrels are present. These same oil quantities are listed at F95 and F05 in the table.

The lower graph provides information about pool volumes and is called a **pool rank plot**. This graph shows two sets of vertical bars, representing the quantities of oil and gas occurring **together** in 33 pools, the maximum number estimated to occur within this play. All pools in play 5 are modeled as mixed, that is, containing oil with a gas cap; other plays may also have all-gas or all-oil pools and show six separate commodities. Each pair of gas-oil bars in the play 5 pool rank plot shows the gas volume of oil in the pool and the volume of gas in the cap. The vertical bars extend across a range of possible volumes for each pool. The lower end of each bar represents the F75 resource quantity, meaning that the pool, if it exists, has a 75-percent chance of exceeding the corresponding resource quantity. Likewise, the upper end of each bar represents the F25 resource quantity. In Chukchi play 5, the largest pool offers oil volumes in the range from about 58 (F75) to 220 (F25) million barrels and gas volumes in the range from 350 (F75) to 1,180 (F25) billion cubic feet.


pool rank 1. This same pool has a 5-percent chance of containing over 600 million barrels of oil and 3,070 billion cubic feet of gas, or a 1-percent chance of containing over 1,140 million barrels of oil and 6,180 billion cubic feet of gas!

Although it might be interesting to portray the improbable yet extreme-high potential sizes of pools, choosing fractiles ranging up to F01 results in an uninformative plot where all pools nearly reach the top


of the plot. For this presentation, a range based on F75-F25 values was chosen for visual clarity while still giving some impression of variance or spread.


Pool volumes shown in the ranked plots are conditional upon success at the play level (i.e., a hydrocarbon pool existing *somewhere* within the play). The sizes of the pools posted in the rank plot have not been “risked”, or multiplied against play chance of success. Therefore, except where the play chance of success equals 1.0, the sum of the mean sizes of the pools in the rank plot will exceed the risked mean play endowment that is reported in the table at page center. In fact, several of the largest pools, or even just the largest pool, may post conditional resources exceeding the risked play endowment.

Designation of pool types (oil-only, versus oil with gas cap, versus gas-only) within the play model was controlled by three data entries. Each play was assigned probabilities for (or frequencies of) occurrence of any of three pool types within the play—“OPROB” for oil-only pools, “GPROB” for gas-only pools, and “MXPROB” for mixed (oil and gas cap) pools. As the model recognizes only these three pool types, these three probability values always sum to 1.0. The three probability values control frequency of pool type sampling during *GRASP* runs, and, with a random number generator in *GRASP*, ultimately dictate the sequence of pool types that appear in the play pool rank plots. The OPROB, GPROB, and/or MXPROB values that were used in the play models are posted, as appropriate, in the lower left corner of each pool rank plot.





COOK INLET PLAY 1 (UACI0101)			
FRACTILES	F95	MEAN	F05
GAS (TCFG)	0.000	0.291	0.776
OIL (BBO)	0.000	0.276	0.723
BOE (BBO)	0.000	0.328	0.860






COOK INLET PLAY 2 (UACIO201)			
FRACILES	F95	MEAN	F05
GAS (TCFG)	0.000	0.242	0.642
OIL (BBO)	0.000	0.195	0.515
BOE (BBO)	0.000	0.238	0.632





COOK INLET PLAY 3 (UACI0301)			
FRACTILES	F95	MEAN	F05
GAS (TCFG)	0.116	0.360	0.727
OIL (BBO)	0.088	0.266	0.508
BOE (BBO)	0.109	0.330	0.643



ECONOMIC RESULTS, COOK INLET PROVINCE

(James D. Craig)

INTRODUCTION

This section summarizes the results of economic modeling using the *PRESTO-5* (Probabilistic Resource *EST*imates-Offshore, version 5) computer program. The economic assessment results are influenced, to a large degree, by the undiscovered, conventionally recoverable oil and gas resources assessed using the *GRASP* (Geologic Resource *AS*essment Program) computer model. The conventionally recoverable results are discussed in separate .pdf files (*Summaries of Play Results, with Cumulative Probability and Ranked Pool Plots*).

Each province summary page includes three illustrations: (1) cumulative probability plots for risked, conventionally recoverable resource distributions (oil, gas, and BOE); (2) a table comparing risked, mean, conventionally recoverable resources with the risked, mean, economically recoverable resources at current commodity prices; and (3) a price-supply graph displaying economically recoverable resource curves.

The province summary page is followed by a table reporting play-specific, economically recoverable resource estimates for two representative price scenarios: a Base Price scenario (\$18/bbl-oil, \$2.11/MCF-gas) representing current market conditions; and a High Price scenario (\$30/bbl-oil, \$3.52/MCF-gas).

PROVINCE SUMMARY PAGE

Risked Cumulative Probability Distributions

The province summary page provides, at page top, cumulative probability distributions for risked, undiscovered endowments of conventionally recoverable oil, gas, and BOE, where resource quantities are plotted against “cumulative frequency greater than %.” A cumulative frequency represents the probability that the resource endowment is equal or greater than the volume associated with that frequency value along one of the curves. For example, a 95% probability represents a 19 in 20 chance that the resource will equal, or be higher than, the volume indicated. Cumulative frequency values typically decrease as resource quantities increase. An expanded description of cumulative probability plots is given in “*Summaries of Play Results, with Cumulative Probabilities and Ranked Pool Plots* ” provided as a

separate .pdf file.

Table of Risked Play Resources

The province summary page provides, at page center, a table comparing the total conventionally recoverable endowment and the smaller quantity of economically recoverable resources that could be profitably extracted under current economic and engineering conditions. Current prices are represented as \$18 per barrel of oil and \$2.11 per MCF of gas, where gas price is linked to oil price by energy equivalency and discount-value factors (5.62 MCF per barrel; 0.66 value discount). Conventional resource volumes correspond to points on the cumulative probability distributions (at page top). Economic resource volumes correspond to points along the mean price-supply curve (at page bottom). Resources listed as negligible (negl) have volumes lower than the significant figures shown. Not Available (N/A) means that these resources are unlikely to be produced in the foreseeable future because of reservoir conditions or the lack of a viable transportation infrastructure.

The ratio of economic to conventional resources indicates the proportion of the total undiscovered endowment that is profitable to produce under current commodity prices with proven engineering technology. However, for production to occur, commercial discoveries must be made, and the analysis does not imply discovery rates. Given the size and geologic complexity of the offshore provinces, exploration will require extensive drilling, and considering the relatively low chance of commercial success and the high cost of exploration wells, many of these frontier provinces are not likely to be thoroughly tested in the foreseeable future. The ratio of economic to conventional resources should be regarded as an opportunity indicator, rather than as a direct scaling factor for readily available hydrocarbon reserves.

Price-Supply Curves

The province summary page includes, at page bottom, a graph showing price-supply curves representing Low, Mean, and High resource production scenarios. Price-supply curves illustrate how volumes of economically recoverable resources increase as a function of commodity price. Characteristically, increases in commodity price result

in corresponding increases in economically recoverable resource volumes. The economic resource volumes represent oil and gas, as yet undiscovered, that could be recovered profitably given the modeled economic and engineering parameters. At very high prices, the mean curve approaches the mean total resource endowment estimated by *GRASP*. The price-supply curves do not imply that these resources will be discovered or produced within a specific time frame, only that the opportunity exists for commercial production at levels controlled by commodity prices.

The price-supply curves were generated by the *PRESTO-5* computer program, which simulates the exploration, development, production, and transportation of pooled hydrocarbons in geologic plays within a petroleum province. Economic viability depends on the interaction of many factors defining the size and location of the hydrocarbon pools, the reservoir engineering characteristics, and economic variables relating expenditures to income from future production streams. The economic simulation is quite complex, owing to the complexities in the state of nature, and requires a sophisticated analytical model.

The following is a brief overview of the *PRESTO-5* modeling process. Geologic parameters (for example, reservoir thickness, pool area, risk) used by the *GRASP* computer model to determine conventionally recoverable resources are transferred into the *PRESTO-5* model through an interface program. Economic viability is determined by performing a discounted cash flow analysis on the expenses and modeled production stream for each pool simulated in a given trial. A Monte Carlo (random sampling) process selects engineering parameters (for example, production rate profiles, well spacing, platform installation scheduling), and cost variables (for example, platforms, wells, pipelines) from ranged distributions. Each simulation trial models the expenses, scheduling, and production for pools “discovered” within a particular play. The sampling process is repeated for productive pools in all geologic plays, and the economic resources are aggregated to the province level. The development simulation process is repeated, typically for 1000 trials, at given set of prices (oil and gas prices are linked). After the specified number of trials are completed for the first set of oil and gas prices, a new set of prices is selected and another round of simulation trials is run. This process continues for approximately 30 iterations, yielding a range of economic resource volumes tied to commodity prices. The results for all runs are given as probability distributions, where selected probability levels can be displayed as continuous price-supply curves.

These analyses determine the resource

volumes that are commercially viable under a specific set of current economic and engineering assumptions. No attempt was made to upgrade engineering technology or development strategies that might be implemented in response to higher commodity prices.

The price-supply curves provided in this report are based on the most likely development scenario tailored for each particular province. All provinces were modeled on a stand-alone basis, with engineering assumptions designed for the primary hydrocarbon substance (oil or gas) identified by the *GRASP* analysis. Generally, the secondary hydrocarbon is less economically viable and places an extra burden on the primary hydrocarbon substance. For provinces without existing oil and gas infrastructure, the modeling scenarios were designed assuming that the primary substance would drive initial development in a particular province. Oil-prone provinces were modeled as “oil-only” production, with gas reinjected for reservoir pressure maintenance to maximize oil recovery. Gas-prone provinces were modeled with both gas and oil production because natural gas-liquids (or condensates) are not reinjected. Often the volume of condensates in gas-prone provinces exceeds any volume of non-associated crude oil. All hydrocarbon liquids are commingled in production and transportation systems.

This economic analysis assumes 1995 as the base year. Higher nominal commodity prices in the future (price increases only at the rate of inflation) do not result in higher estimated volumes of economically recoverable resources, whereas higher real commodity prices (increases above the rate of inflation) do increase the economically recoverable resources. The economic model assumes that commodity price and infrastructure costs were inflated equally at an assumed 3% annual inflation rate (flat real price and cost paths). The price-supply curves can be used to project economic resource volumes relative to future price if appropriate discounting back to the 1995 base year is made to account for real price and real costs changes in the intervening years.

The price-supply graph usually contains three curves, corresponding to Low, Mean, and High resource production levels. The Low resource case represents a 95% probability (19 in 20 chance) that the resources are equal to, or exceed, the volumes derived from the price-supply curves. The High resource case represents the 5% exceedance level (1 in 20 chance). The Mean resource case represents the average. In high-cost and high-risk provinces, where there are no economically recoverable resources at the 95% probability level, no “Low” curve is displayed. An apparent anomaly is observed in some cases where the lower tail of the “Mean” price-supply curve indicates

economic resources greater than the “High” (5% probability) curve. This situation occurs at low prices where the probability of economic success drops below 5%, and the Mean curve is obtained from the few productive trials occurring at probabilities below 5%.

A few additional observations concerning price-supply curves are noteworthy. Following established convention for price-supply curves, these graphs are rotated from the usual mathematical display of X-Y plots. Although shown along the vertical (Y) axis, price is the independent variable and resource is the dependent variable. In many of the gas-prone basins, price-supply curves will display an abrupt step below which no risked economically recoverable resources are modeled. This step corresponds to the minimum resource value required to overcome the cost of production and transportation infrastructure. Because of the distances to Asian markets, the assumed destination for Alaska gas production, natural gas must be converted to liquid form for transportation by ships. The infrastructure associated with conversion into liquefied natural gas (or LNG) does not lend itself to incremental additions for grassroots projects; therefore, an abrupt “cost-hurdle” created by large LNG and marine terminal installations must be overcome by significant resource volumes.

Finally, the reader must be aware that these price-supply curves are models of risked hydrocarbon resources. Both the geologic risk that the resources are pooled and recoverable as well as the economic risk that development is profitable under the assumed economic and technologic conditions are factored into the reported results. This means that although very low resource volumes are reported as “economically recoverable”, these low volumes, in fact, do not correspond to actual quantities of oil or gas. At low prices, risk is dominated by economic factors associated with engineering cost and reservoir performance variables. At high prices, risk is dominated by geologic factors related to volumetric variables. **Risked price-supply curves are most appropriately used to define the comparative potential of petroleum provinces under changing price and probability conditions.** They do not predict the timing of resource discovery or rate of conversion of undiscovered resources to future production. As previously stated, future production of the modeled economically recoverable resources will require extensive exploration programs. In the Alaska offshore, future leasing and exploration activities are likely to be driven by “high-side potential”, combining perceptions of greater rewards at higher risk, higher future commodity prices, and innovative technology to reduce costs.

TABLE FOR PLAY RESOURCE DISTRIBUTIONS

The risked mean contribution for each geologic play in the province is tabulated under two hypothetical price conditions. The Base Price (\$18 per barrel-oil; \$2.11 per MCF-gas) represents current economic conditions. The High Price (\$30 per barrel-oil; \$3.52 per MCF-gas) represents a situation where real price has increased significantly from current levels. Other economic parameters (for example, discount rate and corporate tax rate) were equal in both scenarios, as were engineering technology and cost assumptions. The play number, name, and *UAI* (*Unique Assessment Identifier* code) provide a link to the data presented in other sections of this report. Hydrocarbon substances are distinguished as oil (includes crude oil and gas-condensate liquids), gas (includes non-associated, associated, and dissolved gas), and BOE (gas volume is converted to barrel of oil equivalent and added to oil volume).

COOK INLET MODELING RESULTS

The Cook Inlet province was modeled for the production of oil only. Gas resources are not reported in the present economic assessment. This modeling decision was based on two considerations. First, the resources were modeled as associated oil/gas pools (oil reservoirs overlain by gas caps). Second, there is a noticeable negative economic impact on the primary hydrocarbon (oil) if associated gas resources are co-produced. Accordingly, the economic assessment assumed that reservoirs in gas caps would not be completed and solution gas separated by topside equipment would be reinjected for reservoir pressure maintenance. Although the emphasis of development in the near future would be oil production, associated gas resources could become available at some future time when oil pools are depleted below a commercial limit.

The development scenario utilized existing infrastructure in the Cook Inlet region for new offshore development. A transportation tariff to the U.S. West Coast (\$1.45 per barrel) was added to adjust prices to a standard world oil price. However, considering the proximity to a population center, declining production in the northern (Upper) Cook Inlet, and relative size of estimated undiscovered resources, it is likely that some of the oil production will be refined and marketed locally (Alaska).

Under Base Price conditions (\$18 per barrel), the Cook Inlet province contains 0.27 BBO of risked mean economically recoverable oil. At an oil price of \$30.00 per barrel, the Cook Inlet could hold economic

resources ranging from 0.45 BBO (Mean resource case) to 0.92 BBO (High resource case). The ratio of economic to conventionally recoverable resources (at mean level) is 0.36, the highest ratio of all Alaska offshore provinces. This opportunity indicator suggests that, while total economic resources are modest, compared to Arctic Alaska, a significant fraction of undiscovered Cook Inlet resources occur in commercial-sized pools. The proximity to existing infrastructure and relatively mild operating conditions are two explanations for the commercial viability of the smaller pools expected in the Cook Inlet province.


Economic oil resources are expected in all three Cook Inlet plays, although 83% of economic resources in the Base Price (\$18) case occurs in stratigraphic plays in Tertiary and Mesozoic formations (Plays 1 and 2). Previous exploration efforts (13 exploration wells) have concentrated on easily identified structural prospects, and current production in the northern Cook Inlet is from Tertiary anticlines. New seismic data collection and processing technology is now focusing on the potential of untested stratigraphic prospects.

A 40 year history of oil and gas production in the Cook Inlet region, with its associated infrastructure, combined with a potential local market, are the primary factors favoring future exploration and development in the Cook Inlet province.

Economic Results for Cook Inlet assessment province.

(A) Cumulative frequency distributions for **risked, undiscovered conventionally recoverable resources** ; (B) Table comparing results for conventionally and economically recoverable oil and gas; (C) Price-supply curves for **risked, economic oil** at low (F95), mean, and high (F05) resource cases.


BOE, total oil and gas in energy-equivalent barrels; MP_{hc}, marginal probability for occurrence of pooled hydrocarbons in basin; BBO, billions of barrels; TCFG, trillions of cubic feet.



B.

COOK INLET PROVINCE		
RESOURCE TYPE	MEAN OIL (BBO)	MEAN GAS (TCFG)
CONVENTIONALLY RECOVERABLE	0.74	0.89
ECONOMICALLY RECOVERABLE (\$18)	0.27	N/A
RATIO ECONOMIC/CONVENTIONAL	0.36	N/A

C.



OIL AND GAS RESOURCES OF COOK INLET PLAYS
Risked, Undiscovered, Economically Recoverable Oil and Gas

PLAY NO.	PLAY NAME (UAI * CODE)	BASE PRICE			HIGH PRICE		
		OIL	GAS	BOE	OIL	GAS	BOE
1.	Tertiary Stratigraphic (UACI0101)	0.163	n/a	0.163	0.223	n/a	0.223
2.	Mesozoic Stratigraphic (UACI0201)	0.060	n/a	0.060	0.114	n/a	0.114
3.	Mesozoic Structural (UACI0301)	0.045	n/a	0.045	0.121	n/a	0.121
	TOTAL	0.268	n/a	0.268	0.458	n/a	0.458

* *Unique Assessment Identifier, code unique to play.*

OIL is in billions of barrels (BBO). **GAS** is in trillion cubic feet (TCF).
BOE is barrel of oil equivalent barrels, where 5,260 cubic feet of gas = 1 equivalent barrel-oil

For direct comparisons among provinces, two prices are selected from a continuum of possible price/resource relationships illustrated on price-supply curves. **BASE PRICE** is defined as \$18.00 per barrel for oil and \$2.11 per thousand cubic feet for gas. **HIGH PRICE** is defined as \$30.00 per barrel for oil and \$3.52 per thousand cubic feet for gas. Both economic scenarios assume a 1995 base year, flat real prices and development costs, 3% inflation, 12% discount rate, 35% Federal corporate tax, and 0.66 gas price discount.

Shaded columns indicate the most likely substances to be developed in this province. Economic viability is indicated on price-supply curves which aggregate the play resources in each province.

N/A refers to "not available". Associated gas will be reinjected for pressure maintenance to maximize oil recovery.